



RINIA PROFILE



LUCERNA
LIGHTING




CLASSIC SLIM



Dimensions	17.2mm x 8mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm




CLASSIC DEEP



Dimensions	17.2mm x 15.3mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000m




CORNER SLIM



Dimensions	16mm x 16mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm




CORNER DEEP




Dimensions	18.5mm x 18.5mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm




BOX PROFILE




Dimensions	19.5mm x 20.85mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting parts	Screws, invisible mouting.
Length	1000mm or 2000mm




MINI DEEP




Dimensions	10mm x 13mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm




MINI




Dimensions	10mm x 8.4mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm




DOME



Dimensions	19.5mm x 19.9mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm



BENDABLE



Dimensions	18mm x 5.7mm
Material	Aluminum
Diffusers	Clear or frosted
Mounting	Clips 4 per 2m
Length	1000mm or 2000mm



lightbout.iQ are the exclusive distributor for Lucerna Lighting.


lightbout.iQ offer a custom cutting and assembly service for the Rinia range for ease of installation.

Lucerna Lighting
www.lucernalighting.com
Tel. +44 (0) 203 110 0140



RINIA LED TAPE





LUCERNA
LIGHTING





Wattage	5W
Colour Temperature	2000K, 2400K, 2700K, 3000K
LED Lumens p/m	>250lm/m
CRI	>93
Voltage	24V DC
IP Rating	IP20
Width	8mm (±0.25)
Cut Points	100mm (±0.5)
Dimming	1-10V, DALI or Mains*





Wattage	10W
Colours	2000K, 2400K, 2700K, 3000K, 4000K
LED Lumens p/m	>480lm/m
CRI	>93
Voltage	24V DC
IP Rating	IP20
Width	8mm (±0.25)
Cut Points	50mm (±0.5)
Dimming	1-10V, DALI or Mains*




Wattage	15W
Colours	2400K, 2700K, 3000K
LED Lumens p/m	>1026lm/m
CRI	>93
Voltage	24V DC
IP Rating	IP20
Width	5mm (±0.25)
Cut Points	33mm (±0.5)
Dimming	1-10V, DALI or Mains*




Wattage	20W
Colours	2000K, 2400K, 2700K, 3000K
LED Lumens p/m	>950lm/m
CRI	>93
Voltage	24V DC
IP Rating	IP20
Width	10mm (±0.25)
Cut Points	33mm (±0.5)
Dimming	1-10V, DALI or Mains*




Wattage	24W
Colours	2700K, 3000K
LED Lumens p/m	>1557lm/m
CRI	>97
Voltage	24V DC
IP Rating	IP20
Width	10mm (±0.25)
Cut Points	25mm (±0.5)
Dimming	1-10V, DALI or Mains*





* Available upon request





Wattage 5W
 Colours 2700K,
 LED Lumens p/m >455lm/m
 CRI >80
 Voltage 24V DC
 IP Rating IP65
 Width 10mm (±0.25)
 Cut Points 100mm (±0.5)
 Dimming 1-10V, DALI or Mains*




Wattage 10W
 Colours 2400K, 2700K
 LED Lumens p/m >575lm/m
 CRI >93
 Voltage 24V DC
 IP Rating IP54
 Width 8mm (±0.25)
 Cut Points 100mm (±0.5)
 Dimming 1-10V, DALI or Mains*



Wattage 15W
 Colours 2700K
 LED Lumens p/m >690 lm/m
 CRI >80
 Voltage 24V DC
 IP Rating IP65
 Width 12mm (±0.25)
 Cut Points 100.00 (±0.25)
 Dimming 1-10V, DALI or Mains*



Wattage 10W (RGBW)
 Colours Red, Green, Blue, White (3000K)
 LED Lumens p/m >456 lm/m
 CRI >96.4
 Voltage 24V DC
 IP Rating IP20
 Width 12mm (±0.25)
 Cut Points 167mm (±0.25)
 Dimming 1-10V, DALI or Mains*



* Available upon request



lightbout.iQ are the exclusive distributor for Lucerna Lighting.

lightbout.iQ offer a custom cutting and assembly service for the Rinia range for ease of installation.

Lucerna Lighting
www.lucernalighting.com
Tel. +44 (0) 203 110 0140